


Republic offers the RX series of oil lubricated rotary vane vacuum pumps. They are single stage, air-cooled, and direct driven for continuous operation. The design is one of the most reliable and simplest vacuum pumps available. These rugged pumps are simple to install and easy to service and maintain. They are available with or without motor to meet your application needs. These vacuum pumps have a displacement range from 6 to 490 CFM (10 to 833 m3/hr) and maximum vacuum of 0.5 torr.




The RX series is used in a variety of industries such as meat packaging, food processing, thermoforming, composites, medical, laboratory, vacuum cooling, robotics, degassing, and autoclaves.


PERFORMANCE


Model	Displacement (CFM/m³/hr)		Ultimate Vacuum Max	Noise Level (dB)		Weight	Motor Output		Voltage 3 Phase (V)		Speed (rpm)	
	50 Hz	60 Hz	(In. Hg./Torr/mbar)	50 Hz	60 Hz	(lb/kg)	50 Hz	60 Hz	50 Hz	60 Hz	50 Hz	60 Hz
10	6/10	8/13	29.3/15/20	53	52	53/24	0.37 kw	0.45 hp	220/380	230/460	1500	1800



APPROXIMATE DIMENSIONS







N	Model	Unit	A	В	с	D	E	F	ØH	Fill Oil	Inlet Port	
10	10	in	14.41	11.02	10.43	7.09	5.08	1.57	1.18	0.8 QT	2/4"NDT	
	10	mm	366	280	265	180	129	40	30	0.8 L	3/4″ NPT	

Optional Accessories

- Inlet filter
- Inlet check valve
- Vacuum gauge
- Motor starter
- Control panel
- PLC

